

320x440x118 bearing cad model

Our company offers different 320x440x118 bearing at Wholesale Price? Here, you can get high quality and high efficient 320x440x118 bearing

Roller bearing NNU4964-KOYO - 320x440x118 mm Roller bearing NNU4964-KOYO , dim : Ø int. 320 x Ø ext. 440 x th. 118 mm. SAME DAY SHIPPING. The specialist at your service for over 10 years

NNU4964K KOYO Bearing | NNU4964K bearing 320x440x118 KOYO NNU4964K bearing 320x440x118 4382964 | Cylindrical . KOYO NNU4964K bearing: Hangzhou BFW Bearing Manufacturing Co., Ltd. professional 320x440x118 SKF NNU4964B/SPW33 bearing - Bearing Store SKF NNU4964B/SPW33 bearing. 320x440x118. NTN NNU4964 Bearings, NTN NNU4964 Bearing Size And Price

@@@@@@@@								
	E	J	C	d	L	F	Z	N
306-2ZNR	-	-	-	-	-	-	-	-
71930 CD/P4AL	-	-	-	-	-	-	-	-
22330 CC JA/W33V A406	-	-	-	0.669 Inch 17 Mill	-	-	-	-
S7222 CD/P4A	-	-	-	1.181 Inch 29.997	-	-	-	-
SAKB10F	-	-	-	-	-	-	-	-
61900-2Z	-	-	-	-	-	-	-	-
52218	-	-	-	-	-	-	-	-
6012NR	-	-	-	-	-	-	-	-
K115x123 x27	-	-	-	-	-	-	-	-
30317J2	-	-	-	-	-	-	-	-
239/950 CAK/W33	-	-	-	3.543 Inch 90 Mill	-	-	-	-
C 3022 K	-	-	-	-	-	-	-	-
89420 M	-	-	-	-	-	-	-	-
7010 ACB /P4AL	-	-	-	-	-	-	-	-
6209-2Z	-	-	-	-	-	-	-	-
PCMF 252821.5 E	-	-	-	2.5 Inch 63.5 Mill	-	-	-	-
GEZM 500 ES-2RS	-	-	-	-	-	-	-	-

BT4B 328	-	-	-	-	-	-	-	-
074/HA4	-	-	-	-	-	-	-	-
C 2217 K	-	-	-	-	-	-	-	-
FYTJ	-	-	-	-	-	-	-	-
1.1/4 TE	-	-	-	-	-	-	-	-
W	-	-	-	-	-	-	-	-
6007-2Z	-	-	-	-	-	-	-	-
23226-2C	-	-	-	-	-	-	-	-
S5K/VT14	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-
7316	-	-	-	-	-	-	-	-
BECBP	-	-	-	-	-	-	-	-
71912 AC	-	-	-	-	-	-	-	-
D/HCP4A	-	-	-	-	-	-	-	-
KRE 62	-	-	-	-	-	-	-	-
PPA	-	-	-	-	-	-	-	-
GEZ 108	-	-	-	-	-	-	-	-
TXE-2LS	-	-	-	-	-	-	-	-
619/800	-	-	-	-	-	-	-	-
MA	-	-	-	-	-	-	-	-
SY 1.3/8	-	-	-	-	-	-	-	-
FM	-	-	-	-	-	-	-	-
249/950 C	-	-	-	-	-	-	-	-
AK30/W3	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-
FYT B	-	-	-	-	-	-	-	-
1.1/2 TE	-	-	-	-	-	-	-	-
61820-2R	-	-	-	-	-	-	-	-
S1	-	-	-	-	-	-	-	-
71917 AC	-	-	-	-	-	-	-	-
D/P4AL	-	-	-	-	-	-	-	-
71907	-	-	-	-	-	-	-	-
CE/P4AH	-	-	-	-	-	-	-	-
SIKB12F	-	-	-	-	-	-	-	-
32968	-	-	-	-	-	-	-	-
VKBA	-	-	-	-	-	-	-	-
3442	-	-	-	-	-	-	-	-
23228-2C	-	-	-	-	-	-	-	-
S5K/VT14	-	-	-	-	-	-	-	-
3 + H	-	-	-	-	-	-	-	-
2328	-	-	-	-	-	-	-	-
E2.YET	-	-	-	-	-	-	-	-
207-106	-	-	-	-	-	-	-	-
598/592	-	-	-	-	-	-	-	-
A/Q	-	-	-	-	-	-	-	-
PCZ 0912	-	-	-	-	-	-	-	-

E								
SIKAC30 M	-	-	-	-	-	-	-	-
NATV 12	-	-	-	-	-	-	-	-
VKBA 1430	-	-	-	-	-	-	-	-
NJ 318 ECP	-	-	-	-	-	-	-	-
P 17 TF	-	-	-	-	-	-	-	-
NA4832	-	-	-	-	-	-	-	-
22340 CC JA/W33V A405	-	-	-	-	-	-	-	-
FYM 3. TF	-	-	-	-	-	-	-	-
C2220K	-	-	-	-	-	-	-	-
BT4B 334 031/HA4	-	-	-	-	-	-	-	-
51172 F	-	-	-	-	-	-	-	-
231/1000 CAKF/W3 3	-	-	-	-	-	-	-	-
31305 J2	-	-	-	-	-	-	-	-
71902 ACD/P4A	-	-	-	0.394 Inch 10 Mill	-	-	-	-
QJ 248 N2MA	-	-	-	-	-	-	-	-
NJG2334 VH	-	-	-	-	-	-	-	-
7336DT	-	-	-	-	-	-	45.1 mm	11mm
SC04B19/ 62CS30P X1/2AQF	-	-	-	55.56 mm	-	-	-	-
NA49/32R	-	148.5 mm	31.85 kN	-	111 mm	-	-	14mm
GEZM312 ES-2RS	-	-	-	-	-	-	-	-
2313S	-	-	35.1 kN	-	320 mm	-	-	-
7830CG/ GNP42	-	52 mm	12.8 kN	-	-	-	-	M10
7080	-	148.5 mm	31.85 kN	44.45 mm	-	-	-	14mm
63308LLU	-	150 mm	62 kN	-	-	-	-	-
K10X14X 10	-	-	-	-	-	-	-	-
7000UCG/ GNP4	-	-	-	-	-	-	-	-
N1010	-	-	-	-	161.5 mm	-	-	-
7340BDT	-	-	43.55 kN	-	-	-	64.4 mm	-

7828CG/ GNP42	-	-	-	-	-	-	-	-
NUP207	-	-	-	40 mm	-	48 mm	-	-
SF821DT I	-	-	-	-	-	-	-	-
FL694ZZ	-	-	35.1 kN	-	214 mm	-	-	-
4T-55200 C/55437	-	-	-	25 mm	-	-	-	-
SL01-487 2	-	-	-	-	-	-	-	-
5S-7830C G/GNP42	-	190 mm	-	60 mm	240 mm	-	-	18mm
RNA5906	-	-	-	-	-	-	-	-
432217X U	-	176 mm	43.55 kN	50.8 mm	222 mm	-	-	18mm
SF4651	-	-	-	17.46 mm	130 mm	-	-	11mm
240/530B K30	-	-	-	35 mm	-	-	-	-
NK12X19 X25	-	-	43.55 kN	-	-	-	-	20mm
E-4R6411	64 mm	-	-	-	-	-	-	-
7913DF	-	-	-	-	-	-	-	-
4T- T7FC055	-	-	-	-	-	-	-	-
F-6080	-	-	-	-	-	-	-	-

FAG NNU4964K/W33 Bearing | 4382964K bearing FAG NNU4964K/W33 Bearing | 4382964K bearing 320x440x118 Cylindrical Roller Bearings Bearings. NNU4964K/W33 Cylindrical Roller Bearings FAG?

NSK NNU4964 Bearing 320x440x118 Cylindrical Roller Part Number NNU4964 Cylindrical Roller Bearings (NSK) Old Code bearing Dimensions (mm) Inside diameter ID d 320 Outside diameter OD D 440 Thickness Roller bearing NNU4964K-KOYO - 320x440x118 mm Roller bearing NNU4964K-KOYO , dim : Ø int. 320 x Ø ext. 440 x th. 118 mm. SAME DAY SHIPPING. The specialist at your service for over 10 years

@@@@@				
Timken	FAG	SKF	NTN	KOYO
P2B-DI-212R	INS-ER-SC-207	WSTU-GT-16	02BCPS608GR	01EBC203EX
P2B-DI-308R	F2B-SC-112 MOD	TP-GT-10	02BCPS715EX	01EBC207GR
P4B-DI-308R	F4B-SCM-215-NL MOD	66068	02BCPS85MMGR	01EB211GR
P2B-DI-104RE	INS-SCM-108-CR	F2B-DL-104S	02BCPS415GR	02BCPM70MEXA I
P2B-DI-107RE	P2B-DLB-107-LL	EF4B-S2-315RE	02BCPS600EX	01B110MGR
P2B-DI-207RE	WSTU-SC-55MHT	EF4B-S2-115L	02BCPS700EX	01B140MEX

P2B-DI-212RE	F4B-DLAH-100	F2B-DL-203	02BCPS90MMGR	01BC103EXAT
P4B-DI-211RE	P2B-GTMAH-207-LL	F4B-DL-014	02BCPS170MMGR	01BC125MEXAT
BRG22309KC3	INS-GT-100-LL	F2BZ-DL-012	02BCPM303EX	01BC40MGRAT
BRG22317KC3	P2B-DLH-104S-E	EF4B-S2-307L	02BCPM312EX	01BCF40MEXAT
BRG22308C3	P2B-GTAH-07 MOD	F4B-DL-211	02BCPM408EX	01BCF407EXAT
BRG22317C3	F4B-GT-215-LL	P2B-EXL-111R	02BCPS150MMGR	01B103GR
BRG22330C3	FC-SXV-112	WSTU-E-115R	02BCPM90MMGR	01BCP403EXAT
BRG22310KC3	P2B-SXRBED-215	F4B-E-114R	02BCPS115EX	01B415GR
425024	F2B-SXRED-111	F2B-LT7-104	PS17	01BCF107EXAT
426029	F2B-SXRED-104	INS-SXR-100	PM10	01BCF155MEXAT
400194	F2B-SCEZ-012-P CR-LL	P2B-SXR-111	01EBCSAFC513207EXAT25	01BCP130MGRAT
DU-DI-200R	AN-GTM-08-35M-D	INS-SXR-115	02B112EX	01BCP103GRAT
F2B-SC-107	2 15/16 SLEEVOIL BEARING ISOLATOR	F4B-SXR-115	01EBCPS112EX	02BCPM120MGRAT
P2B-E-115R	INS-DL-106-CR	WSTU-SXV-104S	01BC900EXAT	01BCF115MEXAT
F4R-S2-207R	TB-SC-108-NL	FB-DL-012	01BCF180MGRAT	01BCF140MEXAT
P4B-E-300R	P2B-GTED-10	F4B-GTEZ-108-SHCR	01BCP105MMEX	01BCP125MGRAT
P4B-E-408R	WSTU-GTEZ-115-SHCR MOD	INS-GT-107-CR	01BCP170MGRAT	01BCP503GRAT
LFT-SXV-107-NL	F2B-SCEZ-100-PS S-NL	P4B528-USAF-415LERAH	02BCP200GR	01BCP515GRAT
WSTU-SC-215	SCHB-SC-100 MOD 140193	P2B-BASP-100	01EBC303EX	02BCPM70MGRAT
F2B-VSC-107	F4B-DLED-207	S1U515-TAF-207	02B65MMEX	01BCP407EXAT
P2B-SC-115	P2B-SXRED-107	P2B-BASP-107	02BCF150MMGR	01EBCP204EX
P2B-SC-102	INS-DL-107 MOD	P4B532-ISAF-507RE	02BCP500EX	01B125MEX
P2B-SC-111	INS-GTMED-200	F4S-IP-211R	02BCP300GR	01BC403GRAT
LFT-SC-100	S1U-EXL-106R	P2B-IP-115LE	02BCP507EX	01BCF500GRAT
LFT-SC-010-NL	S1U-EXL-111R	H4S-534-USAF	02BCP307GR	01BCF515EXAT
WSTU-SCM-215	F2B-SXRED-115	P2B-S2-115RE	02B85MMGR	01B110MEX
F4B-E-307R	P2B-SCM-60M	54SS407	02BC100MMEX	01BC40MEXAT
F2B-SCEZ-107-SH	F&B-CC-103-DLED	24TT211	02BC115GR	01BC515GRAT
ECC-EZ-207	INS-SC-103-CR MOD	P4B-S2-415R	02BC115MMGR	01BCP403GRAT
P2B-GT-215	F4B-SXRED-60M	F4S-S2-315R	02BC200GR	01BC200MGRAT
F2B-SCED-104	F4B-SC-108-NL	INS-SC-112	02BCF110MMEX	01B500EX

	<u>MOD</u>			
<u>F2B-GT-103</u>	<u>P2B-SXRED-30M</u>	<u>INS-SC-100</u>	<u>02BCF115MMGR</u>	<u>01BC140MEXAT</u>
<u>P2B-SCM-100</u>	<u>F2B-SCEZ-103-SHCR</u> <u>MOD</u>	<u>INS-SC-103</u>	<u>02BCF140MMEX</u>	<u>SNC519</u>
<u>FC-SCM-208</u>	<u>TB-GTED-04</u>	<u>INS-SCM-211</u>	<u>02BC130MMGR</u>	<u>P01</u>
<u>F4B-SCM-100</u>	<u>HS-P2B-SC-208</u>	<u>P2B-VSC-103</u>	<u>01EBC200EX</u>	<u>01 C 2 EX</u>
<u>P2B-SXRH-207-E</u>	<u>8IN PL-XC</u> <u>GROMMET KIT</u>	<u>F4B-SC-012</u>	<u>02B403GR</u>	<u>SNC516</u>
<u>F4B-SCM-115</u>	<u>1-1/4IN SLEEVOIL</u> <u>COOLANT HOSE</u> <u>KIT</u>	<u>P2B-K-111R</u>	<u>02B415EX</u>	<u>02 C 5 EX</u>
<u>LFT-SCEZ-104-SHSS</u>	<u>AN-GT-11-55M-D</u>	<u>66030</u>	<u>02B515GR</u>	<u>01 C 4 GR</u>
<u>F2B-SCEZ-104-PCR</u>	<u>AN-GT-15-300-D</u>	<u>WSTU-SCM-207</u>	<u>02BC308EX</u>	<u>02 C 6 EX</u>
<u>F2B-SCEZ-107-PCR</u>	<u>AN-GTM-14-60M-D</u>	<u>P2B-SCM-111</u>	<u>02BC400EX</u>	<u>02 C 8 EX</u>
<u>P2B-SCUEZ-103-PCR</u>	<u>7 RTL HI-CAP</u> <u>THRUST PLATE</u> <u>KIT</u>	<u>P2B-SCM-211</u>	<u>02BC415EX</u>	<u>01 C 8 GR</u>
<u>FB-DLEZ-012-PCR</u>	<u>ECO-211 (215)</u>	<u>P2B-SCEZ-107-SHSS</u>	<u>02BCP150MMGR</u>	<u>02 C 10 GR</u>
<u>F2B-SCEZ-104-SHCR</u>	<u>P2B-GT-08-LL</u>	<u>LFT-DL-100</u>	<u>02BC80MMEX</u>	<u>01E B 100M EX</u>
<u>F4B-SCEZ-012-SHCR</u>	<u>INS-GT-05-LL</u>	<u>INS-IP-215R</u>	<u>02BCF515GR</u>	<u>SNC530</u>
<u>P2B-DLEZ-108-SHCR</u>	<u>S1U-EXL-114R</u>	<u>P2B-SCAH-100</u>	<u>02BCP115EX</u>	<u>02 B 105M GR</u>
<u>INS-SC-40M</u>	<u>P4B-EXL-208R</u>	<u>F4B-SC-015</u>	<u>02BCP120MMEX</u>	<u>01 B 411 EX</u>
<u>P4B528-ISAF-415</u> <u>RE</u>	<u>P4B-EXL-308R</u>	<u>F4B-SC-112</u>	<u>02B400EX</u>	<u>01 B C404 EX AT</u>
<u>P2B-S2-115R</u>	<u>P2B-GTAH-110L</u>	<u>F2B-SC-200</u>	<u>01EBCP215EX</u>	<u>01 B 512 GR</u>
<u>BRG22222K.C3</u>	<u>P2B-SXRED-203</u>	<u>02BC608EX</u>	<u>01EBCP311EX</u>	<u>01EB400EX</u>
<u>WSTU-SCEZ-107-SHCR</u>	<u>S1U-EXL-308R</u>	<u>02B190MMGR</u>	<u>02BCF207EX</u>	<u>01EB308EX</u>
<u>H2S-SFXT-516</u>	<u>P4B-EXL-204RE</u>	<u>02BCPM303GR</u>	<u>01EBCP208EX</u>	<u>01EBC303GR</u>
<u>FC-S2-315R</u>	<u>INS-GT-100-HT</u>	<u>02BCPM400EX</u>	<u>02BC503EX</u>	<u>02BC207EX</u>
<u>P2B-K-103R MOD</u>	<u>F4B-GTAH-08-HT</u>	<u>02BCPM600GR</u>	<u>02B115EX</u>	<u>02BCP515EX</u>
<u>P2B-SC-100</u>	<u>ECO-75M (215)</u>	<u>02BCPM90MMEX</u>	<u>02BCF200GR</u>	<u>02BCP515GR</u>
<u>INS-SC-108</u>	<u>F2B-SXR-012</u> <u>MOD</u>	<u>02BCPS125MMEX</u>	<u>01B600EX</u>	<u>02BCP70MMGR</u>
<u>P2B-VSC-107</u>	<u>P2B-DLB-100-HT</u>	<u>PS30</u>	<u>01EB50MMEX</u>	<u>02BCP80MMGR</u>
<u>F2B-SC-008</u>	<u>F2B-SXV-104-NL</u>	<u>PM31</u>	<u>01EB111EX</u>	<u>01EBCF315EX</u>
<u>F2B-SC-106</u>	<u>P2B-GTBED-06</u>	<u>01EBCPS111EX</u>	<u>SNC528</u>	<u>01EBCF65MMEX</u>
<u>390721</u>	<u>FC-DLM-215-LL</u>	<u>01BC900GRAT</u>	<u>02BC307GR</u>	<u>01EBCF60MMEX</u>

4 7/16-8 PLUNGER SCR LOCKNUT	P2B-DLUAH-104S- LL	01BCF1200EXAT	02BC215EX	02BCF403GR
F4B-E-300R MOD	P2B-SXRED-111	01B800EX	02BCF507GR	02BCF500GR
F4B-GT-06 MOD	ECO-308 (218)	02BC300MMEX	02BCP207GR	02BCF503EX
6IN / 7IN PL-XC GROMMET KIT	INS-GTM-45M	02BCP260MMGR	02BCP215EX	01EBCF90MMEX
4-15/16 / 5-7/16 PL-XC GROMMET KIT	NO. 1000 TRAPEZOIDAL OIL RING	02BCF715GR	02BCF75MMEX	01EBC80MMGR
P2B-GTMU-100	HS-TB-SC-204	02BC280MMEX	02BCF211EX	01EBC85MMEX
NO. 612 TRAPEZOIDAL OIL RING	INS-ER-SC-215	02BCF260MMGR	02BCF300EX	01B508GR
AN-GTM-06-100-D	F3B-SL-102	02B300MMGR	02BCF303GR	F15
AN-GT-09-111-CR	F4B-SLX-200L	01BCP700GRAT	02B311EX	F37
4 7/16 SLEEVOIL BEARING ISOLATOR	P4B-EXL-408RE	01EBCPS50MMG R	02B300GR	F09
6 SLEEVOIL BEARING ISOLATOR	P2B-EXL-110R	01BCPS200MMEX	02B204GR	01EBCF300GR
WSTU-SC-60M-LL MOD	P2B-EXL-111RE	01EBCPS65MME X	02B203GR	01EBCF307GR
WSTU-SC-70M-LL MOD	P2B-EXL-112RE	01EBCPS311EX	01EBCF200EX	01EBCP80MMGR
34636	453812	02BCPS215EX	01EBCF111EX	02BC200EX
F4B-SCMED-115 MOD	905143	01EBCPS212GR	01EB303GR	02BC208EX
F2B- DLEZ-104-SHCR MOD	389824	PS09	01EBCF211EX	02BC407GR
P2B-DLAH-100 MOD	389829	02BCPS180MMG R	01EB304GR	01EBCP400GR
-	389836	02BCPS307EX	01EBC211GR	01EBCP65MMGR
-	-	02BCPS408GR	01EBCP85MMGR	-
-	-	02BCPS507EX	-	-

Bearing NA4964 (NSK) | Size and Specification | Bearings
Needle roller bearings NA4964.
Bearing number : NA4964. Size (mm) : 320x440x118. Brand : NSK. Bore Diameter (mm) : 320. Outer Diameter (mm) : 440
NNU4964 KOYO Bearing | NNU4964-KOYO - 320x440x118
Roller bearing NNU4964-KOYO - 320x440x118 mm | 123
Beari Roller bearing NNU4964-KOYO , dim : Ø int. 320 x Ø ext. 440 x th. 118 mm. SAME DAY

NNU4964K KOYO Bearing - Bawdeswell Garden Centre
KOYO NNU4964K bearing 320x440x118 4382964 | Cylindrical . KOYO NNU4964K bearing: Hangzhou BFW Bearing

Manufacturing Co., Ltd. professional Bearing SL014964 (NBS) | Size and Specification | BearingsCylindrical roller bearings SL014964. Bearing number : SL014964. Size (mm) : 320x440x118. Brand : NBS. Bore Diameter (mm) : 320. Outer Diameter (mm) :

@@@@@@@@								
	B	D	d	SKU:	Weight:	Preload:	Size (mm)	Clearance :
22236K	10mm	-	35mm	2mm9307 wicrdul- timke	0.08 KGS	-	180 mm x 320 mm x 86 mm	Standard
231/850-B- MB	-	170mm	-	-	0.02 KGS	-	850 mm x 1360 mm x 400 mm	-
230/850B	-	100mm	65mm	6013-2z- skf	-	-	850 mm x 1 220 mm x 272 mm	Standard
23172-2C S5K/VT14 3	18mm	95mm	60mm	6012-qbl	0.02 KGS	-	360 mm x 600 mm x 192 mm	Standard
24056R	-	35mm	15mm	63002-2rs r-fag	0.05 KGS	-	280 mm x 420 mm x 140 mm	-
22315-E- K-W33+A HX2315	9mm	28mm	8mm	638-2z- zen	0.20 KGS	-	75 mm x 160 mm x 55 mm	Standard
23128YM	3mm	8mm	4mm	mf84-2rs- zen	0.20 KGS	-	140 mm x 225 mm x 68 mm	Standard
22314RH R	16mm	-	45mm	7009cd/p4 adga-skf	0.24 KGS	-	70 mm x 150 mm x 51 mm	-
24126CK 30E4	16mm	80mm	-	-	0.02 KGS	-	130 mm x 210 mm x 80 mm	C3
241/500-K 30-MB- W33	60mm	300mm	-	-	12.00 KGS	-	500 mm x 830 mm x 325 mm	Standard
241/710W 33	31mm	120mm	65mm	2213ektn9 /w64-skf	-	-	710 mm x 1150 mm x 438 mm	-
239/950-K -MB-W33 +AH39/95 0	7mm	22mm	7mm	627/c3-skf	0.01 KGS	-	950 mm x 1250 mm x 224 mm	-
Z-562657.	17.462mm	85mm	50.8mm	18790/18	0.36 KGS	-	190 mm x	Standard

04.DRGL				720-timke n			482,6 mm x 150 mm	
22319 W33	60.3mm	-	100mm	23220ce4 c4-nsk	6.60 KGS	-	-	-
231/500 CAK/W33	-	115mm	75mm	7015acd/p 4adga-skf	-	Light	500 mm x 830 mm x 264 mm	Standard
22256-K- MB-W33+ OH3156- H	41mm	180mm	85mm	1317j-qbl	0.02 KGS	-	280 mm x 500 mm x 130 mm	Standard
23240 EK W33+AH3 240	30.2mm	90mm	50mm	3210b-2rs tnc3-qbl	0.02 KGS	-	190 mm x 360 mm x 128 mm	C3
21310 EK W33+H31 0	28mm	150mm	-	7217acd/p 4adga-skf	-	-	45 mm x 110 mm x 27 mm	Standard
22232	92mm	340mm	190mm	-	0.02 KGS	-	160 mm x 290 mm x 80 mm	-
23030MB K	-	320mm	150mm	qj330-n2- mpa- c3-fag	28.00 KGS	-	-	C3
22340-K- MB	33mm	200mm	130mm	-	-	Light	200 mm x 420 mm x 138 mm	-
22334-MB- W33	23mm	90mm	40mm	1308em- qbl	0.02 KGS	-	170 mm x 360 mm x 120 mm	Standard
22244-E1- K+ H3144X	30.2mm	90mm	50mm	3210b-2z nrtnc3-qbl	0.02 KGS	-	220 mm x 400 mm x 108 mm	C3
24176-K3 0-MB-W3 3+AH241 76	-	-	160mm	-	0.02 KGS	-	380 mm x 620 mm x 243 mm	C4
22248 AC KMW33+ AH2248	36mm	100mm	45mm	22309-e1- c4-fag	-	-	-	C4
22310EF8 00	16mm	62mm	30mm	-	0.20 KGS	-	50,000 mm x 110,000 mm x 40,000 mm	Standard
23036MB	-	22mm	7mm	627-2z/c3	0.01 KGS	-	-	-

W33				gjn-skf				
23036CK	-	110mm	50mm	30310-ntn	-	-	-	Standard
23180-2C S5K/VT14 3	128mm	400mm	240mm	23148cam ke4-nsk	66.90 KGS	-	400 mm x 650 mm x 200 mm	Standard
23944 CC/W33	-	-	-	22218eae 4c4-nsk	3.30 KGS	-	220 mm x 300 mm x 60 mm	C4
241/670 K30	30.2mm	80mm	40mm	3208b-2rs tnc3-qbl	0.02 KGS	-	670 mm x 1090 mm x 412 mm	C3
22312-E1- K	22mm	110mm	60mm	2mm212w icrsux- timken	-	-	60 mm x 130 mm x 46 mm	-
21317MB K	16mm	-	-	71822acd/ p4dga-skf	-	Light	-	-
24044CE 4	0.375 Inch	2.125 Inch	1.125 Inch	s11-hoffm ann	0.20 KGS	-	220 mm x 340 mm x 118 mm	Standard
23964-K- MB+H396 4	20mm	62mm	-	-	0.02 KGS	-	320 mm x 440 mm x 90 mm	C3
22212 K	23mm	85mm	45mm	22209e- qbl	0.02 KGS	-	60 mm x 110 mm x 28 mm	Standard
239/500- MB	30mm	-	-	6218zz- nsk	2.18 KGS	-	500 mm x 670 mm x 128 mm	Standard
230/670 K	37mm	160mm	75mm	6315-rsr- fag	3.18 KGS	-	670 mm x 980 mm x 230 mm	Standard
22309EA KW33	9mm	-	10mm	-	0.03 KGS	-	45,000 mm x 100,000 mm x 36,000 mm	-
23184-K- MB	134mm	-	360mm	23072-mb- c3-fag	0.02 KGS	-	420 mm x 700 mm x 224 mm	-
ASR4-1A	76mm	215mm	120mm	23224-e1- tvpb- c3-qbl	0.02 KGS	-	6,35 mm x 25,4 mm x 6,35 mm	C3
231/710W 33	33mm	140mm	-	-	-	-	710 mm x 1150 mm x 345 mm	C3

21315 KC W33+H31 5	-	8mm	3mm	w619/3-2z- skf	0.00 KGS	-	75 mm x 160 mm x 37 mm	-
24156 K3 OCW33+A H24156	146mm	460mm	280mm	23156-e1- k-c2-fag	0.02 KGS	-	-	-
20306	106mm	540mm	400mm	23980cam e4c3-nsk	-	-	30 mm x 72 mm x 19 mm	C3
20318 KC	-	-	-	-	-	-	-	-
24032CW 33MB	28mm	170mm	110mm	-	-	Light	160 mm x 240 mm x 80 mm	Standard
23160CA E4	24mm	125mm	70mm	6214z-nsk	1.09 KGS	-	300 mm x 500 mm x 160 mm	-
TL23048C AKE4	25mm	100mm	55mm	-	0.02 KGS	-	240 mm x 360 mm x 92 mm	C3
21308MB W33	-	230mm	130mm	7226a5trd ump3-nsk	0.02 KGS	-	-	Standard
23080 K	-	160mm	75mm	2315-m- c3-fag	5.33 KGS	-	400 mm x 600 mm x 148 mm	C3
24196-E1 A- K30-MB1 + AH2419 6-H	40mm	-	90mm	22218-e1- c3-fag	0.02 KGS	-	480 mm x 790 mm x 308 mm	C3
22206 K	-	40mm	-	6203-2z- fag	-	-	30 mm x 62 mm x 20 mm	Standard
22313 KVA	4mm	16mm	8mm	688-2zw4- zen	0.20 KGS	-	65 mm x 140 mm x 48 mm	Standard
230/1000 RK	104mm	290mm	160mm	23232ejw 33c3-timk en	29.30 KGS	-	1000 mm x 1420 mm x 308 mm	C3
23152 KC W33+H31 52	25mm	-	75mm	32015x- ntn	0.02 KGS	-	-	Standard
23140 EK W33+H31 40	-	-	-	-	-	-	180 mm x 340 mm x 112 mm	-
23136	18mm	-	65mm	7013a5trs	0.43 KGS	Light	180 mm x	-

CCK/W33				uv1vlp3-n sk			300 mm x 96 mm	
23088 EK W33+OH3 088	17mm	72mm	35mm	6207-2rs/c 3-qbl	0.02 KGS	-	410 mm x 650 mm x 157 mm	C3
22314 KCW33	88mm	280mm	170mm	23134cc/c 3w33-qbl	0.02 KGS	-	-	C3
238/670-B- K-MB	9mm	-	-	7200ctrsul p3-nsk	0.02 KGS	-	670 mm x 820 mm x 112 mm	Standard
23248 KCW33	-	-	-	-	-	-	-	-
241/670-B -K30-MB+ AH241/67 0	118mm	360mm	-	24048cam e4-nsk	43.40 KGS	-	670 mm x 1 090 mm x 412 mm	-
23228CC/ W33	0.438 inch	1.563 inch	0.625 inch	lj5/8-zz- r&m	0.20 KGS	-	140 mm x 250 mm x 88 mm	Standard
20224 C	36mm	-	-	2217-skf	0.02 KGS	-	-	Standard
230/750B	7mm	22mm	-	608zz-nsk	0.01 KGS	-	750 mm x 1 090 mm x 250 mm	Standard
24032 CC/W33	64mm	210mm	130mm	23126ejw 33-timken	8.60 KGS	-	160 mm x 240 mm x 80 mm	-
230/600C W33MB	15mm	62mm	30mm	30tac62bd fc10pn7a- ns	0.22 KGS	-	600 mm x 870 mm x 200 mm	-
23138-E1 A-K-M + H3138	90mm	260mm	170mm	24034ejw 33c2-timk en	16.70 KGS	-	190 mm x 320 mm x 104 mm	-
238/670	60.3mm	180mm	100mm	23220-e1 a-m- c3-qbl	0.02 KGS	-	670 mm x 820 mm x 112 mm	C3
24132 K30W33	47mm	215mm	100mm	-	8.46 KGS	-	160 mm x 270 mm x 109 mm	Standard
23024-E1 A-K-M	8mm	32mm	15mm	16002-fag	0.03 KGS	-	120 mm x 180 mm x 46 mm	Standard
23232 K	23mm	-	35mm	2207-2rst n-nsk	0.02 KGS	-	160 mm x 290 mm x 104 mm	Standard
23192RK	33mm	210mm	-	6028-z- fag	-	-	460 mm x 760 mm x	Standard

							240 mm	
23092-B-K-MB+H3092	25mm	100mm	55mm	2211ektnc3-qbl	0.02 KGS	-	460 mm x 680 mm x 163 mm	C3
241/670C AK30E4	73mm	215mm	-	22320-e1-k-fag	0.02 KGS	-	670 mm x 1090 mm x 412 mm	Standard
23128MB	24mm	-	-	-	1.30 KGS	-	-	-
23036MB K	-	540mm	360mm	23072kembw507c08-tim	108.30 KGS	-	-	Standard
22328	12mm	42mm	20mm	2mmv9104hxcrdul-timk	0.06 KGS	-	140 mm x 300 mm x 102 mm	Standard
23960 CCK/W33	34mm	180mm	100mm	6220z-nsk	-	-	300 mm x 420 mm x 90 mm	-
22328-K-MB-W33	25mm	130mm	75mm	-	-	-	140 mm x 300 mm x 102 mm	Standard
23128-E1-TVPB	20mm	150mm	110mm	3mm9322wicrsuh-timke	0.92 KGS	-	140 mm x 225 mm x 68 mm	Standard
22240MB KW33	-	225mm	150mm	24030ejw841c3-timken	10.20 KGS	-	-	C3
23120-E1-TVPB	0.813 Inch	3.75 Inch	1.75 Inch	ljt1.3/4-r&m	0.02 KGS	-	100 mm x 165 mm x 52 mm	Standard
24032-CE-W33	-	85mm	-	7912ctrsuv1vp3-nsk	0.19 KGS	Light	160 mm x 240 mm x 80 mm	Standard
23164-E1 A-K-MB1 + H3164-HG	7mm	22mm	7mm	627-2z/c3-skf	-	-	320 mm x 540 mm x 176 mm	-
23128 KW33	30mm	-	90mm	-	2.21 KGS	-	140 mm x 225 mm x 68 mm	Standard
23176 KC W33+H3176	98mm	-	200mm	22240ejw33c2-timken	41.70 KGS	-	-	C2